INDEX TO VOLUME 28

New names and their pages of publication are printed in **boldface**, f = figure and/or forma.

Abutilon 18, 324; *amplexifolium* 322; *spicatum* 321; *theophrasti* 3, 18
Acanthogonum 250
Acanthoscyphus 250
Acer 18
Actinidiaceae 24
Additions to Neotropical Chrysobalanaceae, by Ghillean T. Prance 209–230
Alaska: *Erigeron* 144–146
Algae, Paleozoic 113–137
Allantoma 289
Allium 18
Allmania 449; *nodiflora* f 449
Amaranthaceae: *Herbstia* 443–459
Amaryllis 439; *belladonna* 439
Amazon: Lethycidaceae 298–302
Anacardiaceae 25
ANDERSON, ANTHONY B. See Prance & Anderson
ANDERSON, WILLIAM R., A new species of *Jubelina* (Malpighiaceae) from Central America 410–412
———, A new species of *Pterandra* (Malpighiaceae) from the Guayana Highland 407–409
Antigramma 326, 328
Arachnocrea 387; *scabrida* 387
Arenaria ciliata 107
Aristolochia translucida, a new species from Costa Rica, by Howard Wm. Pfeifer 348–351
Aristolochia 348–352; *brevipes* 352, var *acuminata* 352; *caudata* 349; *chapmaniana* 349; *constricta* 348; *ehrenbergiana* 349; *lassa* 352; *porphyrophylla* 352; *tonduzii* 349; **translucida** 348, **349**–351; *versabilifolia* 352; *watsoni* 352
Arkansas, Ouachita Mountains: *Hedyotis ouachitana* 453–459
Armeria maritima 310
Artemisis 255–256; sect. *Abrotanum* 255, 256; sect. *Dracunculus* 256; sect. *Seriphidium* 256; *potentilloides* 255, 261
Arum 18
Asplenium 326, 328; *delavayi* 326; *epiphyticum* 326
Asteraceae 14, 18, 19, 23, 25; Tribe Anthemideae 255; *Erigeron* 144–146, 263–272; *Sphaeromeria* 255–263
Astragalus 273–280; Baja California 273–280; sect. *Inflati* 277, 279, 280; sect. *Trichopodi* 273, 275; *douglassii* var. *parishii* 280; *fastidius* 277, 280; *gruinus* 280; **moranii 278**–280, f 279; *nutans* 280; *oxyphysis* 275; **oxyphysopsis 273**–275, f 274; *palmeri* 280; *pomonensis* 275, 277; *prorifer* 280; **sanctorum 275**–278, f 276; *serpens* 280; *trichopodus* 273, 275, 277, subsp. *leucopsis* 277, var. *lonchus* 275, 277, var *phoxus* 275; *wetherilli* 280
Bahama Islands: *Torulinium* 252–254
Baja California: *Astragalus* 273–280; *Eriogonum* 337–340
Banalia 450; *thyrsiflora* 450
BARNEBY, RUPERT C., Dragma Hippomanicum II: Astragali Novi Peninsulares Moraniani 273–280
——— See Irwin & Barneby
Batesimalva 320, 322, 324; *pulchella* 324; *violacea* 324
BECKER, KENNETH M., A new species of *Erigeron* (Asteraceae) from Alaska and Yukon 144–146
Betulaceae 25
Bicentennial Symposium 146
Bidens 329
Biosystematic study of Pacific Northwestern blue-eyed grasses (*Sisyrinchium*, Iridaceae), by Douglass M. Henderson 149–176
Blakea schultzei 138
Boniniella 326, 328
Botanical Society of America publications 340
Botryococcus 113–134, f 118, f 120, f 121, f 127, f 132, 354, 362–364, f 362, f 370, 372; *braunii* f 122, f 123
Brassica napus 3
Brassicaceae 19
Brazil: *Canavalia* subg. *Wenderothia*, new taxa 81–85
Briquetia 318–322, 324–325; *denudata* 318–322, f 319, f 320, 325; **inermis 319**–322, f 319, f 320; **sonorae 318**–319, f 319, f 320, 322; **spicata** f 319, f 320, **321**–322, 324
Briscegnoa 250
BROCKETT, BRUCE L. See Cooperrider & Brockett
BROOME, C. ROSE, The Central American species of *Centaurium* (Gentianaceae) 413–426
Caesalpinia crista 28
California: *Dedeckera* 245–251; *Goodmania* 427–429
Canavallia 81–85; *grandiflora* 81, 82; *mattogrossensis* 81; *picta* 81, 84, key to varieties 85, var. **elliptica 82**, f 84, 85, var *picta* 85; **saueri 81**–82, f 82, 84, 85
Caprifoliaceae 19
CAREY, SUSAN T. & CLARK T. ROGERSON, Taxonomy and morphology of a new species of *Hypocrea* on *Marasmius* 381–389
Cariniana 298–300; *domestica* 300; **penduliflora 298**–300, f 299; *rubra* 300
Caryophyllaceae 107
Caryophyllidae 16, 24
Cassia 28–36, 430–442; subgen. *Lasiorhegma* 30, 33, 35, 434; subgen. *Senna* 35, 434; sect.

INDEX TO VOLUME 28

New names and their pages of publication are printed in **boldface**, f = figure and/or forma.

Abutilon 18, 324; *amplexifolium* 322; *spicatum* 321; *theophrasti* 3, 18
Acanthogonum 250
Acanthoscyphus 250
Acer 18
Actinidiaceae 24
Additions to Neotropical Chrysobalanaceae, by Ghillean T. Prance 209–230
Alaska: *Erigeron* 144–146
Algae, Paleozoic 113–137
Allantoma 289
Allium 18
Allmania 449; *nodiflora* f 449
Amaranthaceae: *Herbstia* 443–459
Amaryllis 439; *belladonna* 439
Amazon: Lethycidaceae 298–302
Anacardiaceae 25
ANDERSON, ANTHONY B. See Prance & Anderson
ANDERSON, WILLIAM R., A new species of *Jubelina* (Malpighiaceae) from Central America 410–412
———, A new species of *Pterandra* (Malpighiaceae) from the Guayana Highland 407–409
Antigramma 326, 328
Arachnocrea 387; *scabrida* 387
Arenaria ciliata 107
Aristolochia translucida, a new species from Costa Rica, by Howard Wm. Pfeifer 348–351
Aristolochia 348–352; *brevipes* 352, var *acuminata* 352; *caudata* 349; *chapmaniana* 349; *constricta* 348; *ehrenbergiana* 349; *lassa* 352; *porphyrophylla* 352; *tonduzii* 349; **translucida** 348, **349**–351; *versabilifolia* 352; *watsoni* 352
Arkansas, Ouachita Mountains: *Hedyotis ouachitana* 453–459
Armeria maritima 310
Artemisis 255–256; sect. *Abrotanum* 255, 256; sect. *Dracunculus* 256; sect. *Seriphidium* 256; *potentilloides* 255, 261
Arum 18
Asplenium 326, 328; *delavayi* 326; *epiphyticum* 326
Asteraceae 14, 18, 19, 23, 25; Tribe Anthemideae 255; *Erigeron* 144–146, 263–272; *Sphaeromeria* 255–263
Astragalus 273–280; Baja California 273–280; sect. *Inflati* 277, 279, 280; sect. *Trichopodi* 273, 275; *douglassii* var. *parishii* 280; *fastidius* 277, 280; *gruinus* 280; **moranii 278**–280, f 279; *nutans* 280; *oxyphysis* 275; **oxyphysopsis 273**–275, f 274; *palmeri* 280; *pomonensis* 275, 277; *prorifer* 280; **sanctorum 275**–278, f 276; *serpens* 280; *trichopodus* 273, 275, 277, subsp. *leucopsis* 277, var. *lonchus* 275, 277, var *phoxus* 275; *wetherilli* 280
Bahama Islands: *Torulinium* 252–254
Baja California: *Astragalus* 273–280; *Eriogonum* 337–340
Banalia 450; *thyrsiflora* 450
BARNEBY, RUPERT C., Dragma Hippomanicum II: Astragali Novi Peninsulares Moraniani 273–280
——— See Irwin & Barneby
Batesimalva 320, 322, 324; *pulchella* 324; *violacea* 324
BECKER, KENNETH M., A new species of *Erigeron* (Asteraceae) from Alaska and Yukon 144–146
Betulaceae 25
Bicentennial Symposium 146
Bidens 329
Biosystematic study of Pacific Northwestern blue-eyed grasses (*Sisyrinchium*, Iridaceae), by Douglass M. Henderson 149–176
Blakea schultzei 138
Boniniella 326, 328
Botanical Society of America publications 340
Botryococcus 113–134, f 118, f 120, f 121, f 127, f 132, 354, 362–364, f 362, f 370, 372; *braunii* f 122, f 123
Brassica napus 3
Brassicaceae 19
Brazil: *Canavalia* subg. *Wenderothia*, new taxa 81–85
Briquetia 318–322, 324–325; *denudata* 318–322, f 319, f 320, 325; **inermis 319**–322, f 319, f 320; **sonorae 318**–319, f 319, f 320, 322; **spicata** f 319, f 320, **321**–322, 324
Briscegnoa 250
BROCKETT, BRUCE L. See Cooperrider & Brockett
BROOME, C. ROSE, The Central American species of *Centaurium* (Gentianaceae) 413–426
Caesalpinia crista 28
California: *Dedeckera* 245–251; *Goodmania* 427–429
Canavallia 81–85; *grandiflora* 81, 82; *mattogrossensis* 81; *picta* 81, 84, key to varieties 85, var. **elliptica 82**, f 84, 85, var *picta* 85; **saueri 81**–82, f 82, 84, 85
Caprifoliaceae 19
CAREY, SUSAN T. & CLARK T. ROGERSON, Taxonomy and morphology of a new species of *Hypocrea* on *Marasmius* 381–389
Cariniana 298–300; *domestica* 300; **penduliflora 298**–300, f 299; *rubra* 300
Caryophyllaceae 107
Caryophyllidae 16, 24
Cassia 28–36, 430–442; subgen. *Lasiorhegma* 30, 33, 35, 434; subgen. *Senna* 35, 434; sect.

Abus 30, 441; sect. *Chamaecrista* 30, 432, 435; sect. *Earleocassia* 432; sect. *Prosopsperma* 430–432, 433; sect. *Senna* 433; sect. *Xerocalyx* 432, 437, 441; **aspidoneura 430**–432, f 431; *auris-zerdae* 432; *bauhinioides* 432; *bifoliola* 432; **cachimboënsis 432**, 433; *caesia* 432; *chamaecrista* 28, f 29, 30, 435, 437, 439; *choriophylla* 432; *ciliaris* 437; *cotinifolia* 432; *cultrifolia* 432; *desvauxii* 441; *diffusa* 437, 439; *diphylla* 432; *echinocarpa* 432; *fasciculata* 435, 437, 439; *fistula* 35; *flexuosa* 28; *geminata* 43; *glandulosa* 28, 437, 439; *grandis* 35; *hispidula* 441; *kunthiana* 435, 437, 439; *langsdorfii* var. *tenuis* 30, f 33; *lavradioides* 432; *mucronifera* 430, 432; *nana* 432; *nictitans* 30, f 31; *obtusifolia* 435; *pilosa* 437; *procumbens* 441; *pumilio* 432; *reniformis* 432; *rotundifolia* 30, f 33, 432; *stenocarpa* 30, f 32; *tagera* 435, 437; *tetraphylla* 441; *tora* 435

Castilleja 195–208; subg. *Castilleja*, key to species of northern Mexico 196; Epichroma group 207–208; Ortegae group 204–207; Tenuiflorae group 197–204; *anthemidifolia* 207; *aurea* 196, 206; *blumeri* 197; *canescens* 197; *fissifolia* 195; *franciscana* 195; *galeata* 197; *gracilis* 196, 206, 208; *integra* 195; *integrifolia* 195; *jepsonii* 195; *laxa* 197; *linariaefolia* 195; **linifolia** 195, 196, f 198, **200**–203; **mcvaughii** 196, f 202, **203**–204; *ortegae* 196, 204–206; *patriotica* 196, 197, var. *blumeri* 197; **pterocaulon** 195, 196, f 205, **206**–207; *retrorsa* 197; **rhizomata** 195, 196, f 198, **199**–200, f 201; *roei* 196, 206, 207; *scabridula* 197; *sessiliflora* 195; *setosa* 197; *subinclusa* 195; *tenuiflora* 196, 197, 199, 200, 203, 206; *tenuifolia* 207–208; *xylorrhiza* 197

Cavendishia 37, 38, 41–52; **atroviolacea 49**; **ciliata 45**; **darienensis 43**, 400; **fusiformis 42**–43; **gentryi 400**–401; **lactiviscida 46**; **megabracteata 49**–50; *melastomoides* var. **albiflora 51**–52, 402, var. **coloradensis 402**; **morii 401**; **panamensis 47**–48; **pseudostenophylla 46**–47, 402; **revoluta 44**–45; **santafeensis 48**–49; **subfasciculata 50**–51, 401; **talamancensis 43**–44

Centaurium 413–426; Central American species 413–426; *brachycalyx* 415, 419, f 420, 421; *brittonii* 416; *chironioides* 419; *divaricatum* 416; *erythraea* 416; *madrense* 422, 425, 426; **martinii** 415, f 420, 422, **423**–426, f 424; *minus* 414–415, subsp. *minus* 416; *nudicaule* 418; *pauciflorum* 415, f 417, 418, 419; *pringleanum* 413, 423, 426; *quitense* 415, 416, f 417, 418; *rosans* 418; *setaceum* 415, f 420, 421, 422, 423; *speciosum* 421; *strictum* 418, 419, 421; *tenuifolium* 421, 425; *umbellatum* 415

Centauroides divaricatum 416; *pauciflorum* 418; *quitense* 416; *setaceum* 421

Central America: *Centaurium* 413–426; *Gonocalyx* 37–41; *Jubelina* 410–412

Central American species of *Centaurium* (Gentianaceae), by C. Rose Broome 413–426

Centrostegia 248, 250

Cephalosporium 387

Ceratostema 403

Chaetolepis loricarella 138; *santamartensis* 138

Chaleuria 354, 357, 361–364, f 362, 370, 372, 374; *cirrosa* 357

Chamaecrista 28–36; sect. *Absus* 30, 33, 35; sect. *Apoucouita* 33, 35; sect. *Grimaldia* 30, 35; sect. *Xerocalyx* 28, 30, 33; *calycioides* 33; *fasciculata* 28, 439; *pavonis americana* 437, 439, f 440; *pavonis major* 437, f 438; *tagera* 439

Chamissoa 448, 450; *altissima* var. *altissima* f 449; *brasiliana* 450

Charmartemisia 255

Chelone 76

Chemical examinations of some non-vascular Paleozoic plants, by Karl J. Niklas 113–137

Chemotaxonomy of some Paleozoic vascular plants. Part I: Chemical composition and preliminary cluster analyses, by Karl J. Niklas & Patricia G. Gensel 353–378

Chenopodiaceae 16

Chorizanthe 248–250, 429

Chromocrea spinulosa 388

Chrysanthemum 255

Chrysobalanaceae: Additions to neotropical 209–230

CHUANG, TSAN IANG. See Giannasi & Chuang

Cicendia quitensis 416

Cladocolea 237

Clarkia 158

Clitoria 81; cf *rubiginosum* 81, f 83

Colombia: *Gustavia* 289–297; Melastomataceae 138–143

Comparison of numerical taxonomic methods used to estimate flavonoid similarities in the Limnanthaceae, by William H. Parker 390–399

Compositae 15, 16; *Coreopsis* sect. *Pseudo-Agarista* 329–336

Confirmation of hybridization between *Declieuxia fruticosa* and *D. passerina* (Rubiaceae), by Joseph H. Kirkbride, Jr. 341–347

Cooksonia 354

COOPERRIDER, TOM S. & BRUCE L. BROCKETT, The nature and status of *Lysimachia* × *producta* (Primulaceae)–II 76–80

Cordylanthus 107

Coreopsis 329–336; sect. *Anathysana* 329–331; sect. *Electra* 329–331; sect. *Pseudo-Agarista* 329–336, key 331; *cordylocarpa* 329; *cuneifolia* 329; *cyclocarpa* 329; *insularis* 329; *lucida* 333, 334; *mcvaughii* 331–333; *microlepis* 331; *mutica* 181, 329; *parvifolia* 329; *petrophila* 331, 332; *petrophilodes* 331, 333–334; *pringlei* 331, 335; *rhyacophila* 331, 334–335; *rudis* 331, 333; *teotepecensis* 333, 334

Costa Rica: *Aristolochia translucida* 348–351; *Cavendishia* 42–52
Couepia 226; *glabra* 226
Couratari 298–300; **atrovinosa** 298, **300**–302, f 301; *multiflora* 300
Couroupita 289
CRAWFORD, DANIEL J., Taxonomy of *Coreopsis* sect. *Pseudo-Agarista* (Compositae) in Mexico with additional comments on sectional relationships in Mexican *Coreopsis* 329–336
Creopus spinulosa 388
Crepidotus 387
Crista pavonia 28
CRONQUIST, ARTHUR, The taxonomic significance of the structure of plant proteins: a classical taxonomist's view 1–27
Cucurbitaceae 19; *Frantzia* 239–244
Cycadales 23
Cyclanthera oerstedii 239; *pittieri* 239, 240, var. *quinqueloba* 240
Cymopterus 191, 192
Cyperaceae: *Torulinium* 252–254
Cyperus 254
Cytisus 286
Darlingtonia 349
Daucus 193
Declieuxia 341–347; *fruticosa* 341–347, f 342, 343–345; *passerina* 341–347, ff 342, 343–345
Dedeckera (Polygonaceae), a new genus from California, by James L. Reveal & John Thomas Howell 245–251
Dedeckera 245–251, 427; **eurekensis 246**–248, f 247, 249
Dendromecon 286
DENGLER, NANCY G. See Grear & Dengler
Diaporthe 387
Dicentra 286
Dilleniaceae 24
Diplora 326, 328
Dirhampsis 318, 320, 322, 324; *balansae* 318
DOBZHANSKY, THEODOSIUS, In Memoriam 85
Dolichos cultratus 286
Dragma Hippomanicum II: Astragali Novi Peninsulares Moraniani, by Rupert C. Barneby 273–280
Echinaea 23
Elateriopsis 239; *pittieri* 240
Empedoclesia brachysiophon 404; **stipitata 404**–406, f 405
Endangered species symposium resolutions 379–380
Endemic Melastomataceae of the Sierra Nevada de Santa Marta, Colombia, by J. J. Wurdack 138–143
Eohostimella 113, 114, 117, 125–134, f 130, f 131, 354, 362–364, f 362, f 364, 373, 374
Epelepis 331; *rudis* 331, 333
Epilobium 107
Ericaceae: *Cavendishia* 37–41; *Gonocalyx* 42–52; new Central American species 400–406
Ericales 24
Erigeron 144–146, 263–273, f 265; *divergens* f 269, 270; *flagellaris* 263, 264, 266, f 267, 270, 272, var. *trilobatus* 263, 264, 266; *humilis* 144; *melanocephalus* 144; **mexiae 144**–145, f 145; *pallens* 145; **proselyticus 266**–267; f 267, 270–272, f 271; *purpuratus* 144; *religiosus* 263, f 267, 268, f 269, 270, 271, f 271, 272, f 272; *simplex* 144; *sionis* 263, f 267, f 269, 270, 271, f 271, 272; *trilobus* 264; *uniflorus* 144; *vagus* 144
Eriogonella 250
Eriogonum (Polygonaceae) novelties from Baja California, Mexico, by James L. Reveal 337–340
Eriogonum 248–250, 337–340; 429; subg. *Ganysma* 339; *corymbosum* 249; *elongatum* var. **areorivum 338**, var. *elongatum* 338, var. **vollmeri 338**; *fasciculatum* var. **emphereium 337**, var. *fasciculatum* 337; *flexum* 249; *grande* var. *grande* 338, var. **testudinum 338**; *inflatum* 339; *intrafractum* 248; *latens* 248; *microtheca* 249; *orcuttianum* 249; *pilosum* 339; *pondii* 249; **preclarum 338**–339; **repens 339**; *trachygonum* subsp. *dentatum* 337; *trichopes* subsp. *repens* 339; *vollmeri* 338; *wrightii* var. **dentatum 337**, var. **oresbium 337**–338, var. *subscaposum* 337–338
Eriosema, seed appendage 281–288; *crinitum* var. *fusiformis* 282, f 283; *diffusum* 282, f 283; *glabrum* 282, f 283; *glaziovii* 281–287, f 284, f 285; *grandiflorum* 282, f 283; *longicalyx* 282, f 283; *platycarpon* 282, f 283; *pulchellum* 282, f 283; *rufum* var. *rufum* 282, f 283; *simplicifolium* var. *simplicifolium* f 283, 286; *stipulare* 282, f 283; *tacuarembоense* 282, f 283; *violaceum* 282, f 283
Error in the typification of *Aristolochia watsoni* Wooten and Standley, by Howard Wm. Pfeifer 352
ERTTER, BARBARA J. See Reveal & Ertter 427–429
Erythraea centaurium 415; *divaricata* 416; *macrantha* var. *parviflora* 419; *madrensis* 425; *pauciflora* 418; *pringleana* 422, 425; *quitensis* 416; *setacea* 421; *stricta* 419; *tenuifolia* 425
Eucnide 107
Eucycla 248, 250
Euphorbiaceae 20, 25
Exacum quitense 416
Excellendron 226; *gracilis* 226
Fabaceae 20; *Eriosema* 281–288
Fagaceae 25
Fagara 443; *clava-herculis* 444; *fagara* 445; *fruticosa* 446; *pterota* 443, 445
Fagopyrum 18, 19
FANTZ, PAUL R., New taxa of *Canavalia* subgenus *Wenderothia* (Leguminosae) from Brazil 81–85
Ferns, scolopendrioid 326–328

Fistulas 35
Flavonoid characteristics, *Perideridia* 177–194
Flavonoid similarities, Limnanthaceae 390–399
Flavonoid systematics of the genus *Perideridia* (Umbelliferae), by David E. Giannasi & Tsan Iang Chuang 177–194
Floerkea 391
Flora Neotropica: Organization 336; three new monographs 230
Four new species of Mexican *Castilleja* (subgenus *Castilleja*, Scrophulariaceae) and their relatives, by Noel H. Holmgren 195–208
Frantzia 239–244; key to species 243; sect. *Frantzia* 240–242; sect. *Polakowskia* 242–243; *montana* 234, 240; *pittieri* 240, f 241, 242, 243, var. *quinqueloba* 240; **tacaco** f 241, 240, **242**, 243; **talamancensis** f 241, **242**–243; **villosa 240**–243, f 241
Fryxell, Paul A., New species and new combinations of *Briquetia* and *Hochreutinera*, and a discussion of the *Briquetia* generic alliance (Malvaceae) 318–325
Ganysma 248
Gensel, Patricia G. See Niklas & Gensel
Gentiana centaurium 414, 415
Gentianaceae: *Centaurium* of Central America 413–426
Giannasi, David E. & Tsan Iang Chuang, Flavonoid systematics of the genus *Perideridia* (Umbelliferae) 177–194
Gilia 158
Gilmania 248, 250, 427, 429
Gingko biloba 7, 12, 18, 20
Gnetales 23
Gonocalyx 37–41, 403; key to species 37; **almedae 403**, f 404; *concolor* 37; **costaricensis** 37–**40**, f 40, 41; *portoricensis* 37; **pterocarpus** 37, **38**, f 39, 403; *pulcher* 37, 38; *smilacifolius* 37, 41; *tetrapterus* 37, 41
Goodmania (Polygonaceae), a new genus from California, by James L. Reveal & Barbara J. Ertter 427–429
Goodmania 427–429; **luteola 427**–429, f 428
Goodyera 53–75; *menziesii* 54; *oblongifolia* 53–56, ff 54–57, 58, 60, 62–73, f 65, f 68; *pubescens* 53; *repens* 58–60, f 59, 66, 67, 72, var. *ophioides* 53, ff 54–57, 59, 60, 62–73, f 65, f 68, var. *repens* 59, 60, 62; *tessalata* 53, 54, ff 54–57, 61–72, f 65, f 68
Gossipium barbadense 3, 18
Graffenrieda latifolia 139; **santamartensis 138**–139
Grear, John W. & Nancy G. Dengler, The seed appendage of *Eriosema* (Fabaceae) 281–288
Grias 289
Guayana Highland: *Pterandra* 407–409
Guizotia abyssinica 22
Gustavia 289–297; **flagellata 293**–295, f 296, key to varieties 295, var. **flagellata 295**–297, f 290, f 294, var. **costata** f 290, 295, **297**; *gigantophylla* 297; *grandibracteata* 291, 293, key to the complex 293; **monocaulis 289**–291, f 290, 293; *pubescens* 291, 293; **sessilis 291**–293, f 292
Gymnogonium 429
Harfordia 248, 250
Hedyotis ouachitana (Rubiaceae): a new species from the Ouachita Mountains of Arkansas and Oklahoma, by Edwin B. Smith 453–459
Hedyotis 453–459; *longifolia* 453, 455–457, var. *longifolia* 453–457, f 456, var. *tenuifolia* 453–457; *nuttalliana* 453, 457; **ouachitana** 454, 455, f 456, **457**, 458, f 459; *purpurea* 453, 455, var. *tenuifolia* 453
Helianthus annuus 22
Henderson, Douglass M., A biosystematic study of Pacific Northwestern blue-eyed grasses (*Sisyrinchium*, Iridaceae) 149–176
Herbstia, a new genus in the Amaranthaceae, by S. H. Sohmer 448–451
Herbstia 448–451, f 449; **brasiliana** 449, **450**, 451, f 449, f 451
Herissantia crispa 322
Hill, Robert J., Taxonomic and phylogenetic significance of seed coat microsculpturing in *Mentzelia* (Loasaceae) in Wyoming and adjacent western states 86–112
Hippeastrum 439
Hirtella 227–230; **arenosa 227**, f 228; *brachystachya* 227, 228; **conduplicata 227**–228, f 229; *dorvallii* 228; *gracilipes* 227, 228; *racemosa* var. *hexandra* 227; *rodriguesii* 227
Hochreutinera 322–325; **amplexifolia 322**–324, f 323; *hasslerana* 323, 324
Hollisteria 248, 250
Holmgren, Arthur H., Leila M. Shultz, & Timothy K. Lowrey, *Sphaeromeria*, a genus closer to *Artemisia* than to *Tanacetum* (Asteraceae: Anthemideae) 255–262
Holmgren, Noel H., Four new species of Mexican *Castilleja* (subgenus *Castilleja*, Scrophulariaceae) and their relatives 195–208
Hordeum 18
Houstonia 453; *longifolia* var. *longifolia* 453, var. *tenuifolia* 453; *tenuifolia* 453
Howell, John Thomas. See Reveal & Howell
Huilaea **kirkbridei 141**; *macrocarpa* 141; *mutisiana* 141; *penduliflora* 141
Hybridization: *Declieuxia* 341–347; *Goodyera* 53–75; *Lysimachia* 76–80
Hypocrea, found on *Marasmius* 381–388; **avellanea 381**–388, f 382, f 384, f 386; *citrina* 388; *gelatinosa* 388; *schweinitzii* 388; *spinulosa* 388; *stipitata* 387
Hypomyces 388; *papyraceus* 387; *tremellicola* 387
Iliamna 324
Indobanalia 448; *brasiliensis* 448
Instructions to contributors 147–148

Iridaceae: *Sisyrinchium* 149–176
IRWIN, HOWARD S. & RUPERT C. BARNEBY, Nomenclatural notes on *Cassia* Linnaeus (Leguminosae: Caesalpinioideae) 435–447
———, Notes on the generic status of *Chamaecrista* Moench (Leguminosae: Caesalpinioideae) 28–36
———, Two new species of *Cassia* subgen. *Senna* (Leguminosae: Caesalpinioideae) 430–434
Jubelina uleana 412; *wilburi* 410–412, f 411
Juglandaceae 25
Julianaceae 25
KALLUNKI, JACQUELYN A., Population studies in *Goodyera* (Orchidaceae) with emphasis on the hybrid origin of *G. tessalata* 53–75
Keys: *Astragalus* 275; *Canavallia picta* vars. 85; *Castilleja* subg. *Castilleja*, northern Mexican 196; *Coreopsis* sect. *Pseudo-Agarista* 331; *Erigeron flagellaris* & three Utah endemics 272; *Frantzia* 243; *Gonocalyx* 37; *Gustavia flagellata* vars. 295; *Gustavia grandibracteata* complex 293; *Licania* sect. *Moquilea* 210; *Maracanthus* 231; *Mentzelia* 83; Polygonaceae subfam. Eriogonoideae genera 250; scolopendrioid fern genera 328; *Sisyrinchium* taxa of Pacific Northwest 162–165; *Sphaeromeria* 257; *Zanthoxylum*, North American 444
KIRKBRIDE, JOSEPH H., JR., Confirmation of hybridization between *Declieuxia fruticosa* and *D. passerina* (Rubiaceae) 341–347
Kirkbridea 141; **pentamera** 143; **tetramera 141**–143, f 142
KOYAMA, TETSUO, A new species of *Torulinium* (Cyperaceae) from the Bahama Islands 252–255
KUIJT, JOB, *Maracanthus*, a new genus of Loranthaceae 231–238
Laserpitium 193
Lastarriaea 248, 250
Lathyrus 286
Lecythidaceae: *Gustavia* 289–297; new Amazonian species 298–302
Leguminosae: subfamily Caespalpinioideae 28–36; *Canavallia* subg. *Wenderothia*, new taxa 81–85; *Cassia*, nomenclatural notes 435–442; two new species 430, 434
Licania 209–226; subg. *Licania*, sect. *Cymosa* 221, sect. *Hymenopus* 218–221, sect. *Licania* 223–226; subg. *Moquilea*, sect. *Leptobalanus* 215–221, sect. *Moquilea* 209–215, key to six species 210; *affinis* 226; **aracaensis 223**–226, f 225; **cabrerae 210**–212, f 211; *caldasiana* 223; *caudata* 221; *cordata* 223; *cruegeriana* 226; *durifolia* 209, 210; **furfuracea 221**, f 222; **jefensis 215**–218, f 217; *hebantha* 223; *heteromorpha* 218; *hypoleuca* 221; *irwinii* 221; *macrocarpa* 209, 210; *maritima* 209, 210; **marlenei 218**–221, f 220; **montana 212**, f 213; **morii 215**, f 216; *nitida* 226; *octandra* 218; **pakaraimensis 218**, f 219; *savannarum* 223; *sparsilipis* 215; **stewardii 223**, f 224; **veneralensis** 209, 210, **212**–215, f 214; *wurdackii* 218
Limnanthaceae, flavonoid similarities 390–399, f 394, f 395, f 396, f 397
Limnanthes 381
Limonium, North American 303–317; *angustatum* 311, 314; *brasiliense* 311; *carolinianum* 305, 308, 310–314, var. *angustatum* 306, 308, 309, 311, var. *carolinianum* 308, var. *compactum* 303, 306, 308, 311, var. *nashii* 311, var. *obtusilobum* 308, 311, var. *trichogonum* 311; *endlichianum* 308, 310, 311; *lefroyi* 311, 314; *nashii* 305, 306, 308, 309, 311, 314, var. *angustatum* 308, 311, var. *nashii* 308, var. *trichogonum* 304, 305, 308, 309, 311, f. *albiflorum* 311; *obtusilobum* 308, 310, 311; *tracyi* 314; *trichogonum* 311; *vulgare* 310
Loasaceae: *Mentzelia* 86–112
Lomatium 191
Loranthaceae: *Maracanthus* 231–238
LUTEYN, JAMES L., Notes on neotropical Vaccinieae (Ericaceae). I. *Gonocalyx*—a genus new to Central America 37–41
———, Notes on neotropical Vaccinieae (Ericaceae). II. New species of *Cavendishia* from Panama and Costa Rica 42–52
———, Notes on neotropical Vaccinieae (Ericaceae). III. New and noteworthy species from Mexico and Central America 400–406
———, Revision of *Limonium* (Plumbaginaceae) in Eastern North America 303–317
Lycopersicon 18
Lysimachia 76–80; *polyantha* 78; × *producta* 76–80, f 77, f 79; *quadrifolia* 76–79, f 77, f 79; *terrestris* 76–79, f 77, f 79
Macleania 403
Magnoliaceae 23
Magnoliidae (subclass) 14, 17
Malacothamnus 324
Malpighiaceae: *Jubelina*, a new species from Central America 410–412; *Pterandra*, a new species from the Guayana Highland 407–409
Malvaceae 3, 20; *Briquetia* and *Hochreutinera* 318–325
Maracanthus, a new genus of Loranthaceae, by Job Kuijt 231–238
Maracanthus 231–238; key to species 231; **chlamydatus 231**–232, f 233, 234, 237; pedunculatus 231, **232**–237, f 235, f 236
Marasmius: hosting a new species of *Hypocrea* 381, 382; *subnudus* 381, 382, f 383
Mariscus 252, 254
Melastomataceae: Colombia 138–143
Mentzelia 86–112; key to species 83; sect. *Bartonia* 86, 93–100, 101, 107–110; sect.

Bicuspidaria 101, 102, 107, 108; sect. *Dendromentzelia* 101, 107–110; sect. *Mentzelia* 87, 93, 101, 107, 108, 110; sect. *Micromentzelia* 101, 107–109; sect. *Trachyphytum* 86, 93, 100–102, 107, 108; *adhaerens* f 95, f 96, 101; *affinis* 102, f 103; *albicaulis* 87, f 94, 100, 101, f 106, 110; *arborescens* f 97, 102; *argillosa* f 97, 102; *compacta* f 94; *cronquistii* f 99, 101, 102; *decapetala* f 90, 93; *densa* f 97, 102; *deserticola* 102, f 103; *desertorum* 102, f 103; *dispersa* 86, f 94, 100; *eremophila* 102, f 104; *floridana* f 96, 102; *humilis* f 99, 102; *incisa* f 96, 102; *involucrata* 102, f 105, f 106; *jonesii* 102, f 104; *laciniata* f 99, 102; *laevicaulis* f 90, 93; *lindleyi* 102, f 103; *longiloba* 100; *micrantha* 102, f 103; *mollis* 102, f 105; *montana* 87, f 92, 100; *multicaulis* f 97, 102; *multiflora* 86, f 91, f 92, 93, 100; *nitens* 102, f 104; *nuda* 86, ff 90–92, 93, 100; *oligosperma* 87, f 95, 101; *pectinata* 102, f 104; *pterosperma* f 98, 102, *pumila* f 90, 93; *reflexa* 102, f 105; *reverchonii* f 97, 102; *rusbyii* 86, ff 91–92, 93, 100; *sanjuanensis* f 99, 102; *speciosa* 86, f 91, 93; *springeri* f 98, 102; *strictissima* f 98, 100; *texana* f 96, 102; *torreyi* f 96, f 97, 101; *tricuspis* 102, f 105; *veatchiana* 102, f 104; *vulcanicola* f 98, 102

Mexico: *Astragalus* 273–280; *Castilleja* subgen. *Castilleja* 195–208; *Coreopsis* sect. *Pseudo-Agarista* 329–336; *Eriogonum* 337–340; *Vaccinieae* 400–406

MICKEL, JOHN T., *Sinephropteris*, a new genus of scolopendrioid ferns 326–328

Miconia ayacuchensis 139; *cundinamarcensis* 139; **insueta 139**; *ligustrina* 140; *manicata* 139; *nodosa* 140; *ochracea* 140; **oreogena 139**–140; *polyneura* 139; *setulosa* 139; *smithii* 138; *summa* 140; **tricaudata 140**–141; *turgida* 139; *wurdackii* 139

Monochaetum cinereum 138; *laxifolium* 138; *magdalense* 138; *rotundifolium* 138; *uberrimum* 138

MORI, SCOTT A., New species of *Gustavia* (Lecythidaceae) from Panama, Colombia, and Venezuela 289–298

Mucronea 248, 250

Mucuna 286

Myricaceae 25

Nature and status of *Lysimachia* × *producta* (Primulaceae)—II, by Tom S. Cooperrider & Bruce L. Brockett 76–80

Nectria 387–388; subgen. *Hyphonectrica* 387; *haematococca* 387; *peziza* 387, 388

Nemacaulis 248, 250

Nematothallus 113, 114, 116, 119, 126–131, f 130, f 131, 135, 354, 362–364, f 362, 369, f 370, 374

Neobrittonia 324

NESOM, GUY L., A new species of *Erigeron* (Asteraceae) and its relatives in southwestern Utah 263–272

Neuronectria peziza 387

New books 52

New species and new combinations in *Briquetia* and *Hochreutinera*, and a discussion of the *Briquetia* generic alliance (Malvaceae), by Paul A. Fryxell 318–325

New species of *Erigeron* (Asteraceae) and its relatives in southwestern Utah, by Guy L. Nesom 263–272

New species of *Erigeron* (Asteraceae) from Alaska and Yukon, by Kenneth M. Becker 144–146

New species of *Gustavia* (Lecythidaceae) from Panama, Colombia, and Venezuela, by Scott A. Mori 289–298

New species of *Jubelina* (Malpighiaceae) from Central America, by William R. Anderson 410–412

New species of *Pterandra* (Malpighiaceae) from the Guayana Highland, by William R. Anderson 407–409

New species of *Torulinium* (Cyperaceae) from the Bahama Islands, by Tetsuo Koyama 252–254

New taxa of *Canavalia* subgenus *Wenderothia* (Leguminosae) from Brazil, by Paul R. Fantz 81–85

NIKLAS, KARL J., Chemical examinations of some non-vascular Paleozoic plants 113–137

———, & PATRICIA G. GENSEL, Chemotaxonomy of some Paleozoic vascular plants. Part I: Chemical composition and preliminary cluster analyses 353–378

Nomenclatural notes on *Cassia* Linnaeus (Leguminoseae: Caesalpinioideae) by Howard S. Irwin & Rupert C. Barneby 435–442

North America: *Limonium* 303–317; *Zanthoxylum* 443–447

Notes on neotropical Vaccinieae (Ericaceae). I. *Gonocalyx*—a genus new to Central America, by James L. Luteyn 37–41

Notes on neotropical Vaccinieae (Ericaceae). II. New species of *Cavendishia* from Panama and Costa Rica, by James L. Luteyn 42–52

Notes on neotropical Vaccinieae (Ericaceae). III. New and noteworthy species from Mexico and Central America, by James L. Luteyn 400–406

Notes on the generic status of *Chamaecrista* Moench (Leguminosae: Caesalpinioideae), by Howard S. Irwin & Rupert C. Barneby 28–36

Numerical taxonomic methods: flavonoid similarities in the Limnanthaceae 390–399

Nuttallia lobata f 98, 102; *marginata* f 98, 102

Oklahoma, Ouachita Mountains: *Hedyotis ouachitana* 453–459

Oldenlandia 453

Onagraceae 107

Ononis sicula 110

Orchidaceae: *Goodyera* 53–75

Oreanthes 403
Orestovia 113, 114, 117, 125–131, f 130, f 131, 135, 354, 362–364, f 362, 374
Organization for Flora Neotropica 336
Oryctanthus 237; *chlamydatus* 231; *scabridus* 237; *spicatus* 232
Ouachita Mountains: *Hedyotis ouachitana* 453–459
Oxytheca 248, 250, 427–429; *dendroidea* 429; *luteola* 427
Pachytheca 126–133, f 130, f 131, 354, 362–364, f 362, f 370, 374
Pacific Northwest: *Sisyrinchium* 149–176
Palaeanthus problematicus 14
Paleozoic plants, non-vascular, chemical examination 113–137; chemotaxonomy 353–378
Panama: Gustavia 289–297; *Cavendishia* 42–52
Parinari (Chrysobalanaceae) 226; *klugii* 226; *occidentalis* 226; *romeroi* 226
Parka 126–133, f 130, f 131, 354, 362–364, f 362, f 370, 374
PARKER, WILLIAM H., Comparison of numerical taxonomic methods used to estimate flavonoid similarities in the Limnanthaceae 390–399
Pastinaca 18
Pedaliaceae 20
Peramium menziesii 54
Perideridia, flavonoid characteristics 177–194; *americana* 177, 187, 189, 192; *bolanderi* 189, ssp. *bolanderi* 181, 187, ssp. *involucrata* 187; *californica* 187, 189, 190; *erythrorhiza* 187, 189; *gairdneri* 187, ssp. *borealis* 181, 187, 189, 192, ssp. *gairdneri* 192; *howellii* 187, 189; *kelloggii* 181, 187, 189; *lemmonii* 187, 190, 192; *leptocarpa* 181, 187, 190; *neurophylla* 177; *oregana* 181, 189–191; *parishii* 187, 189, ssp. *latifolia* 187; *pringlei* 189, 190
Pertica 354, 361–364, f 362, f 370, f 372, 374; *varia* 354
PFEIFER, HOWARD WM., An error in the typification of *Aristolochia watsoni* Wooton and Standley 352
———, *Aristolochia translucida*, a new species from Costa Rica 348–351
Phaseolus 18
Phyllitis 326, 328
Physomia 324
Plant proteins; taxonomical study of structures 1–27
Pleurotus 387
Plumbaginaceae 303–317
Polakowskia 239, 242; *tacao* 239, 240, 242
Polygonaceae: 16; Eriogonoideae, key to genera 250; *Dedeckera* 245–251; *Eriogonum* 337–340; *Goodmania* 427–429
Polyporus 387
Population studies in *Goodyera* (Orchidaceae) with emphasis on the hybrid origin of *G. tessalata*, by Jacquelyn A. Kallunki 53–75
PORTER, DUNCAN M., *Zanthoxylum* (Rutaceae) in North America north of Mexico 443–447
PRANCE, GHILLEAN T., Additions to Neotropical Chrysobalanaceae 209–230
——— & ANTHONY B. ANDERSON, Two new species of Amazonian Lecythidaceae 298–302
Primulaceae: *Lysimachia* × *producta*, nature and status 76–80
Prososperma 35
Protocrea 386; *delicatula* 387; *farinosa* 387
Protosalvinia 126–133, f 130, f 131, 354, 362–364, f 362, f 363, 369, 372, 374
Prototaxites 126–133, f 130, f 131, 354, 362–364, f 362, 369, f 370, 373, 374
Psammisia 403
Pseudabutilon 320, 322
Pseudomonas 6
Psilophyton 354, 362–364, f 370, 372, 374; cf *forbesii* 354, 357, 362–364, f 362, 372, 374; *princeps* 354, 362–364, f 362, 372, 374
Psilotaceae Symposium 238
Psittacanthus 237
Pterandra evansii 409; *flavescens* 409; **sericea 407**–408, f 408; *ultramontana* 409
Pterogonum 250
Pterostegia 248, 250
Publications, Botanical Society of America 340
Renalia 354, 361–364, f 362, f 370, 372; *hueberii* 354
REVEAL, JAMES L., *Eriogonum* (Polygonaceae) novelties from Baja California, Mexico 337–340
——— & BARBARA J. ERTTER, *Goodmania* (Polygonaceae), a new genus from California 427–429
——— & JOHN THOMAS HOWELL, *Dedeckera* (Polygonaceae), a new genus from California 245–251
Revision of *Limonium* (Plumbaginaceae) in Eastern North America, by James L. Luteyn 303–317
Rhodospirillum 6
Rhoiptelaceae 25
Ricinus 18
Robinsonella 324
ROGERSON, CLARK T. See Carey & Rogerson
Rubiaceae: *Hedyotis* 453–459; *Declieuxia* 341–347
Rudbeckia 23
Rutaceae: *Zanthoxylum* 443–447
Rynchosia 281, 286, 287
Sambucus nigra 13, 18
Sanmartinia 250
Sarracenia 349
Sawdonia 354, 357, 361–364, f 362, f 370, 372, 374; *acanthotheca* 357; *ornata* 357
Schaffneria 326–328; *nigripes* 326, f 327
Schinus fagara 445
Scoliopus 286
Scolopendrioid ferns: *Sinephropteris* 326–328; key to genera 328

Scolopendrium 326; *delavayi* 327
Scrophulariaceae: *Castilleja* subgen. *Castilleja* 195–208
Seed appendage of *Eriosema* (Fabaceae), by John W. Grear & Nancy G. Dengler 281–288
Seed coat microsculpturing: *Mentzelia* 86–112
Semiramisia 403
Senna 35, 434
Sesamum 18
Shultz, Leila M. See Holmgren, Shultz, & Lowrey
Sida amplexicaulis 321; *amplexifolia* 322
Sinephropteris, a new genus of scolopendrioid ferns, by John T. Mickel 326–328
Sinephropteris 326–328; **delavayi** 326, **327**–328, f 327
Siphonandra 403; *magnifica* 403
Sisyrinchium 149–176; key to Pacific Northwestern taxa 162–165; *angustifolium* 158, 165–167, 169, 172, 174, 175; *bellum* f 151, 152, 153, 155, 156, 158, 159, 161–163, 167, f 168, 169, 171; *birameum* 152, 155, 158, 160, 175; *demissum* 161; *halophilum* f 151, 153, 155, 156, 158, 159, 161, 163, 166, 167, f 168, 169; **hitchcockii** f 151, 153, 155, 157, 159, 161–163, f 164, 169, **170**–171; *idahoense* 155, 156, 158–163, 166, 167, 169, 172, var. *birameum* 175, var. *idahoense* f 151, 165, f 168, 175, var. **macounii** 163, **172**–174, f 173, var. **occidentale** f 151, 158, 165, f 173, **174**–175, var. **segetum** f 151, 165, f 173, **174**; *leptocaulon* 158, 159, 161, 167; *littorale* f 151, 155, 158, 159, 161, 163, f 164, 171, 172; *macounii* 155, 158, 160, 172; *montanum* f 151, 153, 155, 158, 160–162, f 164, 165; *occidentale* 155, 158, 160, 174; *sarmentosum* f 151, 153, 155, 158, 159, 161–163, f 168, 169, 170; *segetum* 155, 158, 160, 162, 174; *septentrionale* f 151, 153, 155, 156, 159, 161, 162, f 164, 166
Smith, Edwin B., *Hedyotis ouachitana* (Rubiaceae): a new species from the Ouachita Mountains of Arkansas and Oklahoma 453–459
Sohmer, S. H., *Herbstia*, a new genus in the Amaranthaceae 448–451
Solanaceae 19
Solanum 156
Solenites 126–133, f 130, f 131, 354, 361–364, f 362, 367, f 370
Sphaeromeria 255–263; key to species 257; *argentea* 255, 257, 260; *cana* 256, 257, 259, 260; *capitata* 255, 257, 260; **compacta** 257, **261**; *diversifolia* 256, 257, 259; **martirensis** 257, **260**, 261; *potentilloides* 255–257, 261, var. **nitrophila 261**, var. *potentilloides* 261; **ruthiae** 256, **257**–259, f 258; *simplex* 257, 260
Sphaeromeria, a genus closer to *Artemisia* than to *Tanacetum* (Asteraceae: Anthemideae), by Arthur H. Holmgren, Leila M. Shultz, & Timothy K. Lowrey 255–262
Spinachia 18, 19
Spongiophyton 113–119, 125–133, f 130, f 131, 135, 354, 362, 364, 369, f 362, f 370, 374
Statice angustata 311; *brasiliensis* 310, var. *angustata* 311; *caroliniana* 310, 314, var. *albiflora* 310, var. *caespitosa* 310, var. *longifolia* 310, var. *pumila* 310, var. *ramosissima* 310; *endlichiana* 306, 311; *lefroyi* 311; *limonium* 310, 315, var. *caroliniana* 304, 310; *nashii* 311; *tracyi* 311, 314
Stenogonum 248, 250, 427; *salsuginosum* 249
Streptanthus 158
Struthanthus 237; *panamensis* 237
Tagera 435, f 436
Taeniocrada 113, 114, 117, 123–134, f 130, f 131, 354, 361–364, f 362, f 370, 372, 374
Tanacetum 255–261; sect. *Sphaeromeria* 255; *camphoratum* 256; *canum* 260; *compactum* 255, 261; *diversifolium* 258, 259; *douglasii* 256; *martirensis* 260; *potentilloides* var. *nitrophilum* 261; *simplex* 260; *vulgare* 256
Taxonomic and phylogenetic significance of seed coat microsculpturing in *Mentzelia* (Loasaceae) in Wyoming and adjacent western states, by Robert J. Hill 86–112
Taxonomic significance of the structure of plant proteins: a classical taxonomist's view, by Arthur Cronquist 1–27
Taxonomy and morphology of a new species of *Hypocrea* on *Marasmius*, by Susan T. Carey & Clark T. Rogerson 381–389
Taxonomy of *Coreopsis* sect. *Pseudo-Agarista* (Compositae) in Mexico with additional comments on sectional relationships in Mexican *Coreopsis*, by Daniel J. Crawford 329–336
Tephrosia 286
Theaceae 24
Themistoclesia 37
Thibaudia 403
Torulinium 252–254; **correllii 252**, f 253, 254
Touterea sinuata 86
Trillium 286
Triticum 18
Tropeolum 18
Two new species and a new combination in *Frantzia* (Cucurbitaceae), by Richard P. Wunderlin, 239–244
Two new species of Amazonian Lecythidaceae, by Ghillean T. Prance & Anthony B. Anderson, 298–302
Two new species of *Cassia* subgen. *Senna* (Leguminosae: Caesalpinioideae), by Howard S. Irwin & Rupert C. Barneby 430–434
Umbelliferae: *Perideridia* 177–194
Utah: *Erigeron* 263–272
Vaccinieae (Ericaceae), Neotropical: *Gonocalyx* 37–41; new species from Mexico and Central America 400–406; *Cavendishia* 42–52
Vancouveria 286
Venezuela: *Gustavia* 289–297
Verticillium 381, f 382, 384, f 384, 385, 387

Vesicarpa 255
Viguiera 23
Wildflowers of the Southeastern United States, by Wilbur H. Duncan & Leonard E. Foote—new book reviewed 52
Winteraceae 17
Wissadula 322; *elongata* 321; *gymnostachya* 321; *jamesonii* 321
Woody Vines of the Southeastern United States, by Wilbur H. Duncan—new book reviewed 52
WUNDERLIN, RICHARD P., Two new species and a new combination in *Frantzia* (Cucurbitaceae) 239–244
WURDACK, J. J., Endemic Melastomataceae of the Sierra Nevada de Santa Marta, Colombia 138–143
Wyethia 23
Wyoming: *Mentzelia* 86–112
Zanthoxylum (Rutaceae) in North America north of Mexico, by Duncan M. Porter 443–447
Zanthoxylum 443–447; key to North American species 444; *americanum* 444; *carolinianum* var. *fruticosum* 446; *caribaeum* var. *floridanum* 445; *clava-herculis* 44, 446; *coriaceum* 444, 445; *fagara* 444, 445; *flavum* 444, 445; *floridanum* 445; *hirsutum* 444–446; *parvum* 444, 446
Zea 18

STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION submitted in accordance with the Act of August 12, 1970: Section 3685. Title 38. United States Code. Brittonia is a quarterly publication, wholly owned by and published by The New York Botanical Garden, Bronx, New York 10458. There are no bondholders, mortgagees, or other security holders. EDITOR: Dr. John T. Mickel, New York Botanical Garden, Bronx, New York 10458; MANAGING EDITOR: Joseph G. Sutton, New York Botanical Garden. Total no. of copies printed: 1200. Sold by mail subscriptions only: 870. Total paid circulation: 870. Copies distributed free: 0. Total circulation: 870. Copies left over for office use, back-issue sale, spoiled after printing, unaccounted: 330. Date of this filing: 27 September 1976. I certify that the statements made by me above are correct and complete. Signed: Joseph G. Sutton, Manager of Publications, The New York Botanical Garden, Bronx, New York 10458.

BRITTONIA for October–December 1976 (**28:** 381–468) was issued 5 January 1977

BRITTONIA

A JOURNAL OF SYSTEMATIC BOTANY

CONTENTS

of

Volume 28

Supplement to BRITTONIA, Vol. 28, No. 4, October–December, 1976

CONTENTS OF VOLUME 28

NUMBER 1 [BRITTONIA **28:** 1–148, 1976, was issued 7 April 1976]

The taxonomic significance of the structure of plant proteins: a classical taxonomist's view
1 **Arthur Cronquist**

Notes on the generic status of *Chamaecrista* Moench (Leguminosae: Caesalpinioideae)
28 **Howard S. Irwin and Rupert C. Barneby**

Notes on neotropical Vaccinieae (Ericaceae). I. *Gonocalyx*—a genus new to Central America
37 **James L. Luteyn**

Notes on neotropical Vaccinieae (Ericaceae). II. New species of *Cavendishia* from Panama and Costa Rica
42 **James L. Luteyn**

Population studies in *Goodyera* (Orchidaceae) with emphasis on the hybrid origin of *G. tesselata*
53 **Jacquelyn A. Kallunki**

The nature and status of *Lysimachia* × *producta* (Primulaceae)—II
76 **Tom S. Cooperrider and Bruce L. Brockett**

New taxa of *Canavalia* subgenus *Wenderothia* (Leguminosae) from Brazil
81 **Paul R. Fantz**

Taxonomic and phylogenetic significance of seed coat microsculpturing in *Mentzelia* (Loasaceae) in Wyoming and adjacent western states
86 **Robert J. Hill**

Chemical examinations of some non-vascular Paleozoic plants
113 **Karl J. Niklas**

Endemic Melastomataceae of the Sierra Nevada de Santa Marta, Colombia
138 **J. J. Wurdack**

A new species of *Erigeron* (Asteraceae) from Alaska and Yukon
144 **Kenneth M. Becker**

Instructions to contributors
147

News and Notes
52, 85, 146

NUMBER 2 [BRITTONIA **28:** 149–272, 1976, was issued 21 July 1976]

A biosystematic study of Pacific Northwestern blue-eyed grasses (*Sisyrinchium*, Iridaceae)
149 **Douglass M. Henderson**

Flavonoid systematics of the genus *Perideridia* (Umbelliferae)
177 **David E. Giannasi and Tsan Iang Chuang**

Four new species of Mexican *Castilleja* (subgenus *Castilleja*, Scrophulariaceae) and their relatives
195 **Noel H. Holmgren**

Additions to Neotropical Chrysobalanaceae
209 **Ghillean T. Prance**

Maracanthus, a new genus of Loranthaceae
231 **Job Kuijt**

Two new species and a new combination in *Frantzia* (Cucurbitaceae)
239 **Richard P. Wunderlin**

Dedeckera (Polygonaceae), a new genus from California
245 **James L. Reveal and John Thomas Howell**

A new species of *Torulinium* (Cyperaceae) from the Bahama Islands
252 **Tetsuo Koyama**

Sphaeromia, a genus closer to *Artemisia* than to *Tanacetum* (Asteraceae: Anthemideae)
255 **Arthur H. Holmgren, Leila M. Shultz, and Timothy K. Lowrey**

A new species of *Erigeron* (Asteraceae) and its relatives in southwestern Utah
263 **Guy L. Nesom**

News and Notes
194, 230, 238

NUMBER 3 [BRITTONIA **28:** 273–380, 1976, was issued 14 October 1976]

Dragma Hippomanicum II: Astragali Novi Peninsulares Moraniani
273 **R. C. Barneby**

The seed appendage of *Eriosema* (Fabaceae)
281 **John W. Grear and Nancy G. Dengler**

New species of *Gustavia* (Lecythidaceae) from Panama, Colombia, and Venezuela
289 **Scott A. Mori**

Two new species of Amazonian Lecythidaceae
298 **Ghillean T. Prance and Anthony B. Anderson**

Revision of *Limonium* (Plumbaginaceae) in Eastern North America
303 **James L. Luteyn**

New species and new combinations in *Briquetia* and *Hochreutinera*, and a discussion of the *Briquetia* generic alliance (Malvaceae)
318 **Paul A. Fryxell**

Sinephropteris, a new genus of scolopendrioid ferns
326 **John T. Mickel**

Taxonomy of *Coreopsis* sect. *Pseudo-Agarista* (Compositae) in Mexico with additional comments on sectional relationships in Mexican *Coreopsis*
329 **Daniel J. Crawford**

Eriogonum (Polygonaceae) novelties from Baja California, Mexico
337 **James L. Reveal**

Confirmation of hybridization between *Declieuxia fruticosa* and *D. passerina* (Rubiaceae)
341 **Joseph H. Kirkbride, Jr.**

Aristolochia translucida, a new species from Costa Rica
348 **Howard Wm. Pfeifer**

An error in the typification of *Aristolochia watsoni* Wooton and Standley
352 **Howard Wm. Pfeifer**

Chemotaxonomy of some Paleozoic vascular plants. Part I: Chemical composition and preliminary cluster analyses
353 **Karl J. Niklas and Patricia G. Gensel**

News and Notes
288, 336, 340, 379

NUMBER 4 [BRITTONIA **28:** 381–468, 1976, was issued 5 January 1977]

Taxonomy and morphology of a new species of *Hypocrea* on *Marasmius*
381 **Susan T. Carey and Clark T. Rogerson**

Comparison of numerical taxonomic methods used to estimate flavonoid similarities in the Limnanthaceae
390 **William H. Parker**

Notes on Neotropical Vaccinieae (Ericaceae). III. New and noteworthy species from Mexico and Central America
400 **James L. Luteyn**

A new species of *Pterandra* (Malpighiaceae) from the Guayana Highland
407 **William R. Anderson**

A new species of *Jubelina* (Malpighiaceae) from Central America
410 **William R. Anderson**

The Central American species of *Centaurium* (Gentianaceae)
413 **C. Rose Broome**

Goodmania (Polygonaceae), a new genus from California
427 **James L. Reveal and Barbara J. Ertter**

Two new species of *Cassia* subgen. *Senna* (Leguminosae: Caesalpinioideae)
430 **H. S. Irwin and R. C. Barneby**

Nomenclatural notes on *Cassia* Linnaeus (Leguminosae: Caesalpinioideae)
435 **Howard S. Irwin and Rupert C. Barneby**

Zanthoxylum (Rutaceae) in North America north of Mexico
443 **Duncan M. Porter**

Herbstia, a new genus in the Amaranthaceae
448 **S. H. Sohmer**

Hedyotis ouachitana (Rubiaceae): a new species from the Ouachita Mountains of Arkansas and Oklahoma
453 **Edwin B. Smith**

Notes
409, 434, 442

Volume Index
460

Statement of Ownership
468